Index

acceleration, 143–177 accelerometer, 87 Aceh earthquake, 89 active control, 244, 245, 253 active vibration control, 239 Adeli, H., 239 Alfred P Murrah Building, Oklahoma City, 315 along-wind response, 195 ambient data, 159-161 Ashiyahama Residential Building Complex, Japan, 116 Atwood Building, Anchorage, Alaska, 147, 148, 171-173 Barros, R.C., 13 base shear, 108 blast confinement, 304 blast loading, 299-316 blast loads, 307 blast parameters, 300 blast shielding, 304 blast wave, 300 blast wave clearing, 303 blast wave reflection. 301 bomb threats, 314 brace-column connection, 133 Brownjohn, J.M.W., 87 buffeting factors, 190 building codes, 267 building design, 56 building moments, 11 building monitoring, 87 building movements, 1 building robustness, 314

Burj Khalifa, 2

CAARC building model, 197, 199, 200 Chi-Chi earthquake, Taiwan, 265–298 Chrysler Building, New York, 241 client software, 157, 159 Colaco, J.P., 1 column-column joints, 133 connections, 137 construction, 265–298 control strategy, 252 core walls, 4 coupled building response, 71 coupled modes, 64 coupled motion, 184 coupled response, 58, 81 cross-wind response, 188, 189, 191, 195 damage, 265-298 damage detection, 244, 248, 254 damage evalution, 250 damage identification, 141 damping ratios, 230 data acquisition, 158 data utilization, 146 Delgado, R., 13 design, 1 design principles, 10 detailing, 289 Di Wang Tower, China, 214, 221, 228, 229, 232, 233 drift ratio, 143-177 dynamic analysis, 56-83, 131 dynamic characteristics, 93, 225 dynamic fuzzy WNN model, 246-248 dynamic wind loading, 57

E-Sun Building, Taiwan, 272 earthquake damage, 115 earthquake engineering, 141 earthquake loading, 71 earthquake motion, 126 earthquakes, 87-111, 265-298 economics, 9 EMD-HT method, 227 Empire State Building, New York, 241 equivalent static wind load, 62, 64, 69, 79 Eurocode 1, 13 expansion waves, 309 explosion, 299-316 explosions inside buildings, 306 façade, 299-316 Factor Building, Los Angeles, 151 Ferreira, N.A.C., 13 field measurement, 211-236 fire. 1 fire loads, 11 flow patterns, 187, 188 force spectra, 191 fracture, 115 free field motions, 104 free-air blast, 302 free-air burst, 300 free-field instrumentation, 149 fuzzy WNN model, 246 generalized forces, 65 genetic algorithms, 253 girder design, 292 glazing systems, 313 global positioning system, 143–177 GPS code, 87 gravity loads, 1, 10 gust factor, 223 hemispherical surface burst, 300 HFFB technique, 64 high explosive damage assessment model, 306 high wind, 211-236 high-rise building, 115

Hircon Tower, Dubai Marina, 9 human comfort, 211-236 identification, 211-236 impulse, 299-316 incident pressure, 302 instrumentation, 95, 212 integral length scale, 224 interference effects, 184, 187 internal blast pressure, 307 iso-buffets, 189 Jiang, X., 239 Jin Mao Tower, Shanghai, 3 John Hancock Centre, Chicago, 2, 6 Khan, F., 2 Kobe Earthquake, 141 Kwok, K.C.S., 183 lateral loads, 1, 10 Lew, M., 265 long-wind response, 188, 189, 191 Los Angeles Tall Buildings Structural Design Council, 266 material quality, 288 measurement system, 217 mega-structures, 115 Mies Van der Rohe, 2 Millikan Library, Pasadena, 151 modal response, 75 mode shapes, 93 Naeim, F., 265 natural frequencies, 228 neural network, 244 neuro-genetic algorithm, 253 non-stationary model, 218 nonlinear dynamics, 251 Northridge earthquake, 296 Oklahoma City explosion, 306 Onterie Tower, Chicago, 3, 4 Pan, T-C., 87

peak dynamic response, 62

peak pressure, 309 peak pressure graphs, 309 performance, 143–177 Petronas Tower, Kuala Lumpur, 240 plastic hinge, 123 post modern movement, 2 pressure, 299–316 pressure distribution, 188 pressure-time history, 305 probability density function, 224 progressive collapse, 1, 11 punching shear, 292 quasi-static gas pressure, 307

random vibrations, 56 real-time, 143–177 record synchronization, 150 recording systems, 150 redundancy, 11 reinforced concrete, 254, 272 Republic Plaza, Singapore, 91–94 resonant response, 59 resonant static wind load, 63 response correlation, 77 response spectra, 104 robustness, 299–316 rod theory, 115 Rose, T.A., 299

San Simeon earthquake, 160, 164, 165 scaled blast parameters, 300 Sears Tower, Chicago, 2, 3, 241 seismic design, 265–298 seismic instrumentation, 146 seismic monitoring, 143–177 seismic resistance, 294 seismic response, 61 sensed data, 246 SHAMRC computer code, 306 Singapore Seismicity, 89 Smith, P.D., 299 soft soil, 91 soil-structure interaction, 143–177 source energy equivalence, 301 special arrays, 153 spectograph, 110 spine walls, 5 state space vectors, 246, 253 stationary wind model, 217 steel building, 141, 255, 282 strain rate, 115 Strouhal number, 191 structural control, 253 structural dynamics, 56 structural health monitoring, 239 structural response, 143-177 structural systems, 2, 4 Taiwan Building Code, 267 tall buildings, 1, 13, 184 Thepmongkorn, S., 183 threshold stages, 159 time-varying mean system speed, 219 TNT equivalence, 301 torsional response, 194, 195, 292 total peak response, 62 Transamerica Building, San Francisco, 165, 168, 169 transfer functions, 104 tremor data, 96 tubular design, 2 tubular systems, 4 tuned mass damper, 13 turbulence intensity, 223 Twin Towers, Century City, Los Angeles, 152 Typhoon York, 220, 221 Uniform Building Code, 147 vibration control, 13 vortex shedding, 191 win tunnel test, 205 wind characteristics, 216 wind induced motion, 206 wind loading, 57, 73, 206 wind loading static equivalent, see equivalent static wind load wind loads, 56

wind response, 13 wind spectrum, 224 wind tunnel model, 197, 198 wind tunnel tests, 56 wind-induced pressure, 186 wind-induced response, 184, 230 Wood, G.S., 183 Woolworth Building, New York, 241 workmanship, 288 World Trade Center, New York, 3, 241

